

## Heavy Goods Vehicles Motor Oils



**HD Super Synthturbo SAE 40**  
API SF/CC  
CCMC G2/D1  
Mil-L-46152B/C  
Ford M2C153-C (SF/CC) Ford M2C9011-A  
GM 6085M  
Shortcode: 03.04



**HD Super Synthturbo SAE 50**  
API SF/CC  
CCMC G2/D1  
Mil-L-46152B/C  
Ford M2C153-C (SF/CC)  
Ford M2C9011-A  
GM 6085M  
Shortcode: 03.05



**LKW Max Power & Torque Truck Racing & Track 15W-60**  
ACEA E4/E7; API CI-4  
Shortcode: 10.26-R



**LKW Max Power & Torque Ultra 15W-40**  
ACEA A3/B3, E2; API CH-4/SJ; Meets the requirements of; MB 228.1; MAN 271; Volvo VDS; Mack EO-M Plus; Cummins CES 20071/20076; Cat ECF-1-a; MTU Type 1  
Shortcode: 09.04-B#



**LKW Max Power & Torque Ultra 20W-40**  
ACEA A3/B3, E2; API CH-4/SJ; Meets the requirements of; Cummins CES 20071/20076  
Shortcode: 09.07-B \*



**LKW Max Power & Torque Ultra 15W-40**  
ACEA A3/B4, E7; API CI-4/SL; MB-Approval 228.3; Volvo VDS-3, Renault VI RLD-2; Mack EO-N, MAN M 3275-1; Meets the requirements of; Cat ECF-1-a/ECF-2; Cummins CES20076/20077/20078; Deutz DQC III-10; Mack EO-M Plus, MB 229.1; MTU Type 2, Renault VI RLD; Global DHD-1  
Shortcode: 10.01-B



**LKW Max Power & Torque Ultra 15W-40**  
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; Volvo VDS-3, RVI RLD/RLD-2; Mack EO-N/EO-M Plus; Cummins CES 20076/20077/20078; MAN M 3275; Cat ECF-1-a/ECF-2; Deutz DQC III-10; MTU Type 2; Global DHD-1  
Shortcode: 10.12-B



**LKW Max Power & Torque Ultra 20W-50**  
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; Cummins CES 20076/20077/20078; Global DHD-1; Deutz DCQ III-10  
Shortcode: 10.04-B



**LKW Max Power & Torque Ultra HS 10W-30**  
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275; Volvo VDS-3; MTU Type 2; Mack EOM Plus; Renault VI RLD/RLD-2; Cummins CES 20076/20077/20078; Cat ECF-1-a/ECF-2; Deutz DQC III-10; ZF TE-ML 07D  
Shortcode: 10.30-B



**LKW Max Power & Torque Ultra HS 10W-40**  
ACEA A3/B4, E7; API CI-4/SL; MB-Approval 228.3/229.1; Volvo VDS-3; Mack EO-N, Renault VI RLD-2; Meets the requirements of; MAN M 3275; Mack EO-M Plus, Renault VI RLD; MTU Type 2; Cummins CES 20076/20077/20078; Caterpillar ECF-2, ECF-1-a; Global DHD-1; Deutz DQC III-1  
Shortcode: 10.03-B



**LKW Max Power & Torque Ultra HS 10W-40**  
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275, Volvo VDS-3; Renault VI RLD/RLD-2, MTU Type 2; Cummins CES 20076/20077/20078; Mack EON/EO-M Plus; Global DHD-1; Cat ECF-1-a/ECF-2; Deutz DQC III-10  
Shortcode: 10.15-B



**LKW Max Power & Torque Fleet-force CI-4 15W-30**  
ACEA A3/B4, E7; API CI-4/SL; Meets the requirements of; MB 228.3; MAN M 3275; Cummins CES 20078; Deutz DQC III-10  
Shortcode: 09.18-B

## Heavy Goods Vehicles Motor Oils



**LKW Max Power & Torque Fleet-force CI-4 15W-40**  
 ACEA A3/B4, E7; API CI-4/SL;  
 Meets the requirements of;  
 MB 228.3/229.1; MAN M 3275;  
 Volvo VDS-3; MTU Type 2; Mack  
 EON/ EO-M Plus;  
 Renault VI RLD RLD 2; Cum-  
 mins CES 20076/20077/20078;  
 Cat ECF-1-a/ECF-2; Global  
 DHD-1; Deutz DQC III-10;ZF  
 TE-ML 07C  
 Shortcode: 09.08-B



**LKW Max Power & Torque Fleet-force CI-4 15W-50**  
 ACEA A3/B4, E7; API  
 CI-4/SL; Meets the  
 requirements of; MB  
 229.1; MAN M 3275  
 Shortcode: 09.09-B



**LKW Max Power & Torque Fleet-force CI-4 20W-50**  
 ACEA A3/B4, E7; API  
 CI-4/SL; Meets the  
 requirements of;  
 MB 228.3/229.1  
 Shortcode: 09.10-B



**LKW Max Power & Torque LSP +Plus 5W-30**  
 ACEA E6/E7/E9; API CJ-4/SN; MB-  
 Approval 228.31/228.51; MAN  
 M 3677/M 3477/M 3271-1; Volvo  
 VDS-4/VDS-3; Mack EO-O  
 Premium Plus/EO-N; Renault  
 VI RLD-3/RLD-2; Meets the  
 requirements of; MTU Type 3.1;  
 Renault VI RXD/RGD; Mack EO-M  
 Plus; Cummins CES 20081, Cat  
 ECF-3; Deutz  
 Shortcode: 10.29-B #



**LKW Max Power & Torque NF 10W-40**  
 ACEA E4/E7; API CI-4;  
 Meets the requirements  
 of; MB 228.5; Volvo VDS-  
 3; MAN M 3377/M 3277;  
 Global DHD-1; Renault VI  
 RXD/RLD-2; MTU Type 3;  
 Deutz III-05; Mack EON/  
 EO-M Plus; Cummins CES  
 20078; Detroit Diesel  
 93K215; Cat ECF-2  
 Shortcode: 10.23-B



**LKW Max Power & Torque NF 10W-40**  
 ACEA E4/E7; API CI-4;  
 MB-Approval 228.5; MAN  
 M 3377/M 3277; Volvo  
 VDS-3; Renault VI RLD-  
 2; Mack EO-N; Meets the  
 requirements of; Renault  
 VI RXD; MTU Type 3; Deutz  
 III-05; Mack EO-M Plus;  
 Cummins CES 20078;  
 Global DHD-1; Detroit  
 Diesel 93K215; Cat ECF-2  
 Shortcode: 10.20-B



**LKW Max Power & Torque FDL 10W-40**  
 ACEA E4/E7; API CI-4; MB-  
 Approval 228.5; MAN  
 M 3277; Scania LDF-2;  
 Volvo VDS-3; Mack EO-N,  
 Renault VI RLD-2; Mack  
 EO-M Plus; DAF Long  
 Drain (approved for);  
 Meets the requirements  
 of; Renault VI RXD; Cum-  
 mins CES 20077/20078;  
 Deutz DQC III-10; MTU  
 Type 3  
 Shortcode: 10.05-B



**LKW Max Power & Torque LSP +Plus 5W-30**  
 ACEA E4/E6/E7/E9; API CJ-4;  
 Meets the requirements  
 of; MB 228.31/228.51; MAN  
 M 3677/M 3477/M 3575/M  
 3271-1; Volvo VDS-4, Renault  
 VI RLD-3; Mack EO-O Premium  
 Plus; MTU Type 3.1; Cummins  
 CES 20081, Cat ECF-3; Deutz  
 DQC IV-10 LA; Detroit Diesel  
 93K218  
 Shortcode: 10.34-B \*



**LKW Max Power & Torque LSP 10W-40**  
 ACEA E6/E7; API CI-4;  
 MB-Approval 228.51;  
 MAN M 3477/M3271-1;  
 Volvo VDS-3; Mack EO-N,  
 Renault VI RLD-2; DAF  
 Long Drain  
 (approved for); Meets the  
 requirements of;  
 Renault VI RXD; MTU Type  
 3.1; Deutz DQC III-10 LA;  
 JASO DH-2; Cummins CES  
 20076/20077  
 Shortcode: 10.13-B



**LKW Max Power & Torque LSP 10W-40**  
 ACEA E6/E7; API CI-4;  
 Meets the requirements of;  
 MB 228.51; MAN M 3477/M  
 3271-1; Volvo VDS-3; Mack  
 EO-N, Renault VI RXD/RLD-  
 2; DAF Long Drain; MTU  
 Type 3.1; Deutz DQC III-10  
 LA; JASO DH-2; Cummins  
 CES 20076/20077  
 Shortcode: 10.22-B



**LKW Max Power & Torque LSP +Plus 10W-40**  
 ACEA E4/E6/E7/E9; API  
 CJ-4; Volvo VDS-4, Renault  
 VI RLD-3; MB-Approval  
 228.31/228.51; MAN M  
 3477/M 3575/M 3271-1; MTU  
 Type 3.1; Mack EO-O Premium  
 Plus; Deutz DQC IV-10 LA;  
 Meets the requirements of;  
 Cat ECF-3; Cummins CES  
 20081; Detroit Diesel 93K218,  
 JASO DH-2; Sca  
 Shortcode: 10.31-B



**LKW Max Power & Torque FDL3 10W-40**  
 ACEA E4/E7; API  
 CF; MAN M 3277;  
 MB-Approval 228.5;  
 Scania LDF-3; Volvo  
 VDS-3; Renault  
 VI RLD-2; Mack  
 EO-N; Meets the  
 requirements of;  
 Renault VI RXD  
 Shortcode: 10.25-B

## Heavy Goods Vehicles Motor Oils



### LKW Max Power & Torque Fleet Line LSP 5W-40

ACEA E7/E9; API CJ-4/SM; MB-Approval 228.31; MAN M 3575; Volvo VDS-4; Mack EO-O Premium Plus, Renault VI RLD-3; Meets the requirements of; Cummins CES 20081; Detroit Diesel 93K218/93K215/93K214; Cat ECF-2/ECF-3  
Shortcode: 10.27-B



### LKW Max Power & Torque Fleet Line LSP 10W-30

ACEA E7/E9; API CJ-4/SM; Volvo VDS-4; Mack EO-O Premium Plus, Renault VI RLD-3; Meets the requirements of; MB 228.31; MAN M 3575; Cat ECF-2/ECF-3; Cummins CES 20081; Deutz DQC III-10 LA  
Shortcode: 10.33-B



### LKW Max Power & Torque Fleet Line LSP 15W-40

ACEA E7/E9; API CJ-4/SM; Volvo VDS-4; Renault VI RLD-3; Mack EO-O Premium Plus; Meets the requirements of; MB 228.31; MAN M 3575; Cat ECF-2/ECF-3; Cummins CES 20081; Detroit Diesel 93K218; JASO DH-2; Global DHD-1; MTU Type 2.1; Deutz DQC III-10 LA  
Shortcode: 10.11-B



### LKW Max Power & Torque Fleet Line LSP 15W-40

ACEA A3/B3, E2; API CH-4/SJ; MB-Approval 228.1/229.1; Meets the requirements of; MAN 271; VW 505.00 (1/97); Volvo VDS; Mack EO-M Plus; Cummins CES 20071/20076; Cat ECF-1-a; MTU Type 1  
Shortcode: 09.01



### Unifleet Ultra 10W30

ACEA A3/B4-12, E7-12; API CI-4/SL; Meets the requirements of; MB 228.3/229.1; MAN M 3275; MTU Type 2; Cummins CES 20077/20078; Cat ECF-1-a/ECF-2; Deutz DQC III-10; Global DHD-1  
Shortcode: 10.10

