CARBO OIL®
When only the best will do
www.carbooil.de
Germany

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Passenger Cars Motor Oils

S High Performance Intelligence Motor Oil 20W40

API SF/CC;CCMC G2/D1

Shortcode: 04.07

S High Performance Intelligence Motor Oil SF/CD 15W40

SF/CD;CCMC G2/D1; Mil-L-2104C

Shortcode: 03.08

S High Performance Intelligence Motor Oil SG/CF-4 15W40

API SG/CF-4

Shortcode: 05.06

GT Synth IQ Formula 15W40

ACEA A3/B4;API SL/CF; MB-Approval 229.1

Shortcode: 05.01

S High Performance Intelligence 10W40

ACEA A3/B4;API SL/CF;Meets the requirements of;MB 229.1;VW 502.00/505.00

Shortcode: 06.30

GT Synth IQ Formula 10W40

ACEA A3/B4;API SL/CF;MB-Approval 229.1; Meets the requirements of; VW 502.00/505.00

Shortcode: 06.01

GT Synth IQ Formula SL/CF 20W50

ACEA A3/B3;API SL/CF

Shortcode: 05.12

GT Synth IQ Formula SL/CF 15W50 ACEA

A3/B4;API SL/CF;Meets the requirements of;MB 229.1

Shortcode: 05.07

GT Arctic Synth IQ Formula Synthetic 0W20

ACEA A1/B1;API SN/CF (Special formula for severe winter conditions)

Shortcode: 06.53

GT Synth IQ Formula VW 0W30 503.00/506.01ACEA

A1/B1, A5/B5; Meets the requirements of; VW 503.00/506.00/506.01

Shortcode: 06.22

GT Synth IQ Formula 0W40

ACEA A3/B4;API SM/CF; Meets the requirements of;MB 229.3;VW 502.00/505.00;BMW Longlife-01;Renault RN0700/ RN0710;Porsche A40

Shortcode: 06.38

GT Synth IQ Formula C1 5W30

WSS-M2C934-B;Meets the requirements of;Jaguar Land Rover STJR.03.5005

Shortcode: 06.24

CARBO OIL®

Germany

When only the best will do

www.carbooil.de

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Passenger Cars Motor Oils

GT Synth IQ Formula C2 5W30

ACEA C2;API SN/CF;Meets the requirements of; Renault RN0700; Fiat 9.55535-S1

Shortcode: 06.23

GT Synth IQ Formula C4 5W30

ACEA C4;MB-Approval 226.51; Meets the requirements of; Renault RN0720

Shortcode: 06.34

GT Synth IQ Formula NF 5W30

ACEA C3; Approved under VW 504.00/507.00; MB-Approval 229.5; BMW Longlife-04; Porsche C30

Shortcode: 06.56

GT Synth IQ Formula 5W40

ACEA C3-12 API SN
Meets the requirements of VW 504.00/507.00 MB 229.51
BMW Longlife-04
Porsche C30

Shortcode: 06.59

GT Synth IQ Formula 5W50

ACEA A3/B4;API SM/CF;Meets the requirements of;VW 502.00/505.00;MB 229.3;Porsche A40

Shortcode: 06.31

GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF; Meets the requirements of; VW 502.00/505.00; MB 229.3/226.5; Porsche A40, BMW Longlife-0; GM LL-B-025; Oil meeting PSA specification B71 2296;Renault RN0700/RN0710; Fiat 9.55535-M2

Shortcode: 06.42

GT Synth IQ Formula 5W30

ACEA A3/B4; API SM/CF; Meets the requirements of; VW 502.00/505.00;MB 229.3

Shortcode: 06.21

GT Synth IQ Formula FE 5W20

API SN;ILSAC GF-5;Meets the requirements of;GM Dexos 1

Shortcode: 06.65

GT Synth IQ Formula PSA 5W40

Oil meeting PSA specification B71 2296; ACEA A3/B4; API SN/CF; Meets the requirements of; MB 229.3/226.5; VW 502.00/505.00; BMW Longlife-01; Renault RN0700/RN0710; Porsche A40; GM LL-B-025

Shortcode: 06.72

GT Synth IQ Formula PSA 0W30

ACEA C2;Oil meeting PSA specification B71 2312 Peugeot Citroen Special

Shortcode: 06.77

GT Synth IQ Formula D 5W30

ACEA C2/C3; API SN; MB-Approval 229.31/229.51/229.52; Meets the requirements of; Dexos 2

Shortcode: 06.54

GT Synth IQ Formula NF 5W30

ACEA C3; API SN; Meets the requirements of; MB 229.51/229.52; VW 502.00/505.00/505.01; Dexos 2; BMW Longlife-04

Shortcode: 06.61

CARBO OIL®

When only the best will do

www.carbooil.de

Germany

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Passenger Cars Motor Oils

GT Synth IQ Formula 5W40

NF ACEA A3/B4, C3; API SN/CF; Approved under VW 505.01; Approved under VW 502.00/505.00; MB-Approval 229.51; BMW Longlife-04; Meets the requirements of; Ford M2C917-A; Porsche A40; Renault RN0700/RN0710; Dexos 2, MB 229.31/226.5; Fiat 9.55535-S2

Shortcode: 06.04

GT Synth IQ Formula 5W40

ACEA A3/B4, C3; API SN/CF; Meets the requirements of; VW 505.01; VW 502.00/505.00; MB 229.51/229.31/226.5; BMW Longlife-04; Ford M2C917-A; Porsche A40; Renault RN0700/RN0710; Dexos 2; Fiat 9.55535-S2

Shortcode: 06.62

GT Synth IQ Formula ES 5W40

ACEA A3/B4, C3; API SN/CF; Meets the requirements of; VW 505.01; VW 502.00/505.00; MB 229.31/226.5; BMW Longlife-04; Ford M2C917-A; Porsche A40; Renault RN0700/RN0710; Dexos 2; Fiat 9.55535-S2

Shortcode: 06.64

GT Synth IQ Formula ES 10W60

ACEA C3;API SN/CF

Shortcode: 06.66

GT Full Synthetic Motor Oil SM/CF 0W30

ACEA A3/B4; API SM/CF; Meets the requirements of; MB 229.3; VW 502.00/505.00; BMW Longlife-98; Renault RN0700

Shortcode: 06.50

GT Full Synthetic Motor Oil SL/CF 10W60

ACEA A3/B4;API SL/CF

Shortcode: 06.16

GT Full Synthetic Motor Oil SL/CF 5W50

ACEA A3/B4; API SL/CF; Meets the requirements of; MB 229.3; VW 502.00/505.00

Shortcode: 06.12

GT Full Synthetic Motor Oil SH/CD 5W50

API SH/CD; CCMC G5/PD2

Shortcode: 06.10

GT Synth IQ Formula VW 0W30

503.00/506.01ACEA A1/B1, A5/B5; Meets the requirements of; VW 503.00/506.00/506.01 VW Special

Shortcode: 06.22

GT Synth IQ Formula 5W40

API SN/CF;Approved under VW 502.00/505.00; MB-Approval 229.3/226.5; Oil meeting PSA specification B71 2296; Meets the requirements of; Porsche A40, BMW Longlife-01; Renault RN0700/RN0710;GM LL-B-025; Fiat 9.55535-M2

Shortcode: 06.20

GT Synth IQ Formula 5W20

ACEA A1/B1; API SN; Ford WSS-M2C948-B

Shortcode: 06.67

GT Synth IQ Formula 5W30

C3; API SN; MB-Approval 229.31/229.51/229.52; Meets the requirements of; Dexos 2

Shortcode: 06.74

CARBO OIL®
When only the best will do
www.carbooil.de
Germany

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Passenger Cars Motor Oils

01S HD Super Motor Oil 30

API SF/CC;CCMC G2/D1;Mil-L-46152B/C;Ford M2C153-C (SF/CC);Ford M2C9011-A;GM 6085M

Shortcode: 03.03

HD Super Motor Oil 40

API SF/CC;CCMC G2/D1;Mil-L-46152B/C;Ford M2C153-C (SF/CC);Ford M2C9011-A;GM 6085M

Shortcode: 03.04

GT Semi Synthetic Motor Oil SL/CF 10W30

ACEA A3/B3-12;API SL/CF

Shortcode: 06.37

Semi Synthetic Motor Oil SL/CF 10W40

ACEA A3/B3-12, A3/B4-08;API SL/CF; Meets the requirements of; MB 229.1

Shortcode: 06.02

GT Synth IQ Formula FE 5W30

API SN;ILSAC GF-5; Meets the requirements of; Dexos 1

Shortcode: 06.80

GT LB Energy + F 5W30

ACEA A1/B1-12, A5/B5-12;API SL/CF; Meets the requirements of; Ford WSS-M2C913-D; Renault RN0700

Shortcode: 06.82

GT Energy + F 5W30

ACEA A1/B1-12, A5/B5-12;API SL/CF; Ford WSSM2C913- D; Meets the requirements of; Renault RN0700; Jaguar Land Rover STJR.03.5003

Shortcode: 06.55

GT Synth IQ Formula BMW LL-01 0W40

ACEA A3/B4-12;API SN; Meets the requirements of; MB 229.3/229.5; BMW Longlife-01; VW 502.00/505.00; Porsche A40; Renault RN0700/RN0710

Shortcode: 06.78

Tor Hypersynth D 5W40

ACEA A3/B4-12;API SN/CF; MB-Approval 229.3/229.5; Oil meeting PSA specification B71 2296; Meets the requirements of; BMW Longlife-01; VW 502.00/505.00/501.01; Porsche A40; Renault RN0700/RN0710; Opel GM-LL-B-025

Shortcode: 06.75

Specialsynth NF 0W40

ACEA C3-12;API SN/CF; Meets the requirements of; MB 229.31/229.51;BMW Longlife-04; Dexos 2

Shortcode: 06.79

Specialsynth 5W20

ACEA C3-12;API SN/CF

Shortcode: 06.63

Specialsynth P 5W30

ACEA C2-12, A5/B5-12;API SN; Oil meeting PSA specification B71 2290

Shortcode: 06.83

CARBO OIL®

Germany

When only the best will do

www.carbooil.de

ON TRACK, ON THE ROAD, IN YOUR CAR. www.carbooil.de

Passenger Cars Motor Oils

RS Fully Racing Synthetic Cup Extreme Oil 10W60

ACEA A3/B4; API SM/CF

Shortcode: 06.71

RS Fully Racing Synthetic Cup Extreme 0W30

ACEA A3/B4; API SM/CF

Shortcode: 06.68

RS Fully Racing Synthetic Cup Extreme Oil Ferrari 458 etc Oil 5W40

ACEA A3/B4; API SM/CF

Shortcode: 06.70

RS Fully Racing Synthetic Cup Extreme Oil 10W30

ACEA A3/B4; API SM/CF

Shortcode: 06.69

Brake Fluid DOT 5.1

FMVSS 116 DOT 5.1; SAE J1703, ISO 4925

Shortcode: 26.01

Brake Fluid DOT 4

FMVSS 116 DOT 4; SAE J1703, ISO 4925

Shortcode: 25.01

Brake Fluid DOT 3

FMVSS 116 DOT 3; SAE J1703, ISO 4925

Shortcode: 24.01

RS Fully Racing Synthetic Cup Extreme Oil 5W50

ACEA A3/B4-12; API SN/CF

Shortcode: 06.76